



Dok-Tek Systems Ltd.

Tel: [+44] 01 179 145 510

D7D Avondale Works, Woodland Way, Bristol. England. UK (GB). BS15 1PA

Web: www.dok-tek.co.uk / e-mail: main.doktek@gmail.com



Harmonized Commodity Code:
85177900

AWMK2 Adjustable Mount Kit

Nylon Bracket kit for adjusting
Dok-Tek Systems Ltd
LED signal lamp alignment.

Wall, Post or Rail Mounting.



Please note:

*Supplied with fixings for either wall or post mount.
Installer will need to drill holes in backplate
Shown with TRG100 housing fitted. (Not
supplied)*

				
AWMK2 Kit de montage réglable. Kit de support en nylon pour le réglage Dok-Tek Systems Ltd Alignement des lampes de signalisation à LED. Montage mural, sur poteau ou sur rail	AWMK2 Einstellbares Montageset. Nylon-Halterungssatz zum Einstellen Dok-Tek Systems Ltd Ausrichtung der LED-Signalleuchte. Wand-, Pfostenoder Schienenmontage	AWMK2 Kit de montaje ajustable. Kit de soporte de nailon para ajuste de luces LED Dok-Tek Systems Ltd Alineación de lámparas de señalización LED. Montaje en pared, poste o riel	AWMK2 Kit di montaggio regolabile. Kit staffa in nylon per la regolazione Dok-Tek Systems Ltd Allineamento lampada di segnalazione a LED. Montaggio a parete, su palo o su rotaia	AWMK2 Verstelbare montagekit. Nylon beugelset voor het afstellen van Dok-Tek Systems Ltd LED-signaallampuitlijnng. Beugelset voor het afstellen van signaallampuitlijnng Montage aan de muur, paal of rail
				
Veuillez noter: Les fixations murales ou les bandes de montage sur poteau ne sont pas incluses. L'installateur devra percer des trous dans la plaque arrière	Bitte beachten Sie: Wandbefestigung en oder Pfostenmontagebänder sind nicht im Lieferumfang enthalten. Der Installateur muss Löcher in die Rückplatte bohren	Tenga en cuenta: No se incluyen los soportes de pared ni las bandas para montaje en postes. El instalador deberá perforar orificios en la placa posterior	Notare che: I fissaggi a parete o le fascette per il montaggio su palo non sono inclusi. L'installatore dovrà praticare dei fori nella piastra posteriore	Let op: Muurbevestigingen of paalmontageband zijn niet inbegrepen. De installateur moet gaten boren in de achterplaat

	EN	NL 	FR 	ES 	DE 	IT 
 -20°C to +40°C 2011/65/EU 2015/863 RHOS2	Temperature In service =	Temperatuur. In dienst =	Température. Dans le service =	Temperatura En servicio =	Temperatur Im Betrieb =	Temperatura In servizio =
	Service Life 5 Years or 5k operations.	Levensduur 5 jaar of 5 k operaties.	Durée de vie 5 ans ou 5k opérations.	Vida de servicio 5 años o 5k operaciones.	ebensdauer 5 Jahre oder 5k Operationen.	Durata di servizio 5 anni o 5k operazioni.
	Restriction Of	Beperking van	Restriction	Restricción	Beschränkung	Restrizione

	Hazardous Substances - Not Applicable – Does not contain:	gevaarlijke stoffen - Niet toepasselijk – Bevat geen:	Des Substances Dangereuses - Non applicables - Ne contient:	de sustancias peligrosas - No aplicable - No contienen:	g Gefährliche Stoffe - Nicht anwendbar – Enthält nicht:	de Sostanze pericolose - Non applicabile – Non contiene:
	Lead (Pb). Mercury (Hg). Cadmium (Cd). Hexavalent chromium (Cr6+). Polybrominated biphenyls (PBB). Butyl benzyl phthalate (BBP). Polybrominated diphenyl ether (PBDE). Bis(2-ethylhexyl) phthalate (DEHP). Dibutyl phthalate (DBP). Diisobutyl phthalate (DIBP)					
2012/19/EU	Not applicable. Only applies when fitted to an LED light.	Niet van toepassing. Alleen van toepassing wanneer gemonteerd op een LED-lampje.	Sans objet. Ne s'applique que lorsqu'il est installé sur une lumière LED.	No aplica. Solo se aplica cuando se instala en una luz LED.	Nicht zutreffend. Gilt nur bei Montage an einer LED-Leuchte.	Non applicabile. Si applica solo se montato su una luce a LED.
	Recycle - Voluntary good practice.	Recycle. Vrijwillige goede praktijken.	Recycler. Volontaire de bonne pratiques	Reciclaje - Buenas prácticas voluntarias.	Recycling - Freiwillige gute Praxis	Riciclare - Buona pratica volontaria

#